

Clinical Order Set

Demographics

COVID-19 Treatment Long-Term Care (Module)

(Module)	
Page 1 of 2 Key	
Key: Req – Requisition MAR – Medication Administration Record K – Kardex Dis – Discontinued	Phase
Instructions for completing this order set:	
✓ Indicates a pre-selected order. To delete a pre-selected order, draw a line through it	(a)
☐ Must tick the box for order to be implemented. Orders not checked will not be implemented Fill in blank spaces as needed/appropriate	3
- Indicates an item for consideration by Provider; is NOT an order	Þ
	2
COVID-19 Treatment Long-Term Care (Module)	2
Patient Population:	1 2
Mildly III COVID-19 Resident	$\ddot{\mathcal{C}}$
- Resident who does NOT require supplemental oxygen, parenteral fluids or other physiological support	
Severely III COVID-19 Resident	Ë
- Resident requiring supplemental oxygen therapy	เอ
NOTE: Provider to consider transition to "LTC End of Life" or "COVID-19 Palliative Care and Symptom Management" order set	Ţ
if Palliative Performance Scale (PPS) is 20 % or less	Buc
Admit/Transfer/Discharge/Status	نا
- If Resident requires transfer to acute care, as directed by Medical Health Officer (MHO), Provider to call ER physician OR local COVID-19 Cohort Unit PRIOR to calling Emergency Health Services / Medivan	ent
- Contact MHO via Hospital Switchboard OR call 1-800-204-6166	Ĕ
🗹 Patient Transport Recommendations, Resident to wear a medical-grade mask during transport if transfer required	it i
Medical Orders for Scope of Treatment - Provider to review and update MOST status as indicated by Resident's goals of care	COVID-19 Treatment Long-Term Care (Module)
Alerts	ာ
- Provider must discontinue Aerosol Generating Medical Procedures (AGMP) including nebulized medications, CPAP and	ᅻ
nocturnal BiPAP. Staff require Airborne Precautions, including N95 masks, for care of Residents with COVID-19 (pending or	۵
positive) receiving Aerosol Generating Medical Procedures (AGMP)	5
- Provider to call Respirologist on-call for guidance regarding alternative therapy based on MOST and clinical status	Ó
Resident Care	Ü
- Provider to consider holding or discontinuing non-essential laboratory or diagnostic orders	
- Provider to order Vital Signs as clinically indicated or based on MOST status	
✓ Vital Signs, BID OR	
☑ Oxygen Therapy, Nasal Cannula, Titrate up to 6 L/min to target oxygen saturation greater than 92% OR 88 - 92% for diagnosed COPD	
Communication Orders	
✓ Notify Provider Vital Signs, Nurse or Respiratory Therapist must contact Provider if increasing breathlessness and oxygen needs exceed 6L via nasal prongs	
✓ Notify Provider, To discontinue corticosteroid if no longer requiring supplemental O ₂ or back to baseline O ₂ for 24 hours	
Medications Provides to review (Orticle Columbia COLUB 10 Theremouties Constitutes (CTC) Clinical Provides Cuidanes for Antimiorphial	
- Provider to review " <u>British Columbia COVID-19 Therapeutics Committee (CTC) Clinical Practice Guidance for Antimicrobial and Immunomodulatory Therapy in Adult Patients with COVID-19" for up to date treatments under clinical study</u>	
- Provider to review and stop non-essential medications, and aim to cohort medication administrations to reduce exposure	
Trovider to review and stop non-essential medications, and aim to conort medication duministrations to reduce exposure	
Signature, Designation College License # Date Time Page 1	./2



Clinical Order Set

Demographics

COVID-19 Treatment Long-Term Care (Module)

(Wiodule)	
Page 2 of 2 Key: Req – Requisition MAR – Medication Administration Record K – Kardex Dis – Discontinued	Phase
Opiates	_
BREATHLESSNESS OR PAIN	
Option 1: Resident NOT currently taking opioids	<u>=</u>
☐ HYDROmorphone (Dilaudid) - RANGE DOSE, 0.5 mg to 1 mg, Tab, oral, Q1H, PRN for breathlessness or pain. If more than 3 doses of opioids in 24 hours, call Provider to consider a regularly scheduled opioid order	odu
OR	Ž
☐ HYDROmorphone (Dilaudid) inj - RANGE DOSE, 0.25 mg to 0.5 mg, Soln-Inj, SUBCUT, Q1H, PRN for breathlessness or pain. If more than 3 doses of opioids in 24 hours, call Provider to consider a regularly scheduled opioid order) e
For community Pharmacy, dispense doses (suggest 40 doses)	<u>ā</u>
Option 2: Resident currently taking opioids - Provider to discontinue previous PRN opioids and to order:	E C
☐ HYDROmorphone (Dilaudid) - RANGE DOSE, mg to mg, Tab, oral, Q1H, PRN for breathlessness or pain OR	Ter
☐ HYDROmorphone (Dilaudid) inj - RANGE DOSE,mg tomg, Soln-Inj, SUBCUT, Q1H, PRN for breathlessness or pain	-Bu
For community Pharmacy, dispense doses (suggest 40 doses)	2
Opiate Reversal	Ħ
☑ naloxone, 0.1 mg, Soln-Inj, IV/IM/SC, Q3MIN, PRN for opioid reversal, if RR less than 8 AND decreased LOC. Administer until patient alert/awake and RR greater than 8; Notify MRP if administered	mer
Corticosteroids	at
- Consider ordering corticosteroids for Severely III COVID-19 Resident - Corticosteroids are NOT recommended for mild illness unless other clinical indication (i.e. asthma exacerbation) - Dexamethasone is the Drug of Choice; Order predniSONE only if dexamethasone is NOT available - Consider ordering bedside blood glucose monitoring daily if corticosteroids ordered □ dexamethasone, 6 mg, Tab, oral, DAILY, for 10 days, first dose NOW	COVID-19 Treatment Long-Term Care (Module)
OR	
\square predniSONE, 40 mg, Tab, oral, DAILY, for 10 days, first dose NOW	
NOTE: Provider to discontinue corticosteroid if no longer requiring supplemental O_2 or back to baseline O_2 for 24 hours	l S
Anti-infectives - Antibacterial therapy should not be routinely prescribed for LTC Residents with confirmed COVID-19, particularly in cases of mild illness - If clinical suspicion of bacterial pneumonia as a complication of COVID-19 then consider treatment with Empiric therapy; Refer to Spectrum App for ordering support: https://staging-app.spectrum.md/en/clients/16-island-health/steps/18382	
Anticoagulants	
VENOUS THROMBOEMBOLISM (VTE) PROPHYLAXIS - Mildly ill COVID-19 Resident: VTE prophylaxis is NOT indicated - Severely ill COVID-19 Resident: Provider to consider consult with Internal Medicine on-call to determine need for prophylaxis	
	2
Signature, Designation College License # Date Time Page 2/2	